



1/5

FIG. 1

PRIOR ART





- 300

320

- 400

| 410 | | 420 | | 430 | | 440 | | 450 | | 460 | | 470 | |
|-------|-------------------|-------------|------------------------|------------------|-------------------|-------------|--|-----|--|-----|--|-----|--|
| INDEX | SOURCE IP ADDRESS | SOURCE PORT | DESTINATION IP ADDRESS | DESTINATION PORT | CONNECTION STATUS | OTHER STATE | | | | | | | |
| 0 | 192.19.194.178 | 1024 | 64.236.16.52 | 80 | SYN1, SYN2 | ... | | | | | | | |
| 1 | 192.11.226.2 | 32769 | 64.236.16.52 | 80 | SYN1 | ... | | | | | | | |
| 2 | 192.20.12.56 | 4000 | 192.11.226.2 | 20 | SYN1, SYN2 | ... | | | | | | | |
| ⋮ | ⋮ | ⋮ | ⋮ | ⋮ | ⋮ | ⋮ | | | | | | | |

4/5

FIG. 5A

| EPHEMERAL TCP/UDP PORT NUMBER |
|----------------------------------|
| 1024 |
| 1025 |
| 1026 |
| ⋮ |

FIG. 5B

| EPHEMERAL TCP/UDP PORT NUMBER |
|----------------------------------|
| ⋮ |
| 1025 |
| 1024 |
| 1026 |

5/5

FIG. 6

